## AIR TURQUOISE SA | PARA-TEST.COM

Route du Pré-au-Comte 8 • CH-1844 Villeneuve • •41 (0)2) 965 65 65

Test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: **B** 

In accordance with standards EN 926-1:2015, EN 926-2:2013+A1:2021 and NfL 2-565-20

Date of issue (DMY):

Manufacturer:

Model:

Serial number:

PG\_2063.2022

09.12.2022

AirDesign GmbH

SUSI 4 14

XS23141PP2237033P

## Configuration during flight tests

Paraglider		Accessories	
Maximum weight in flight (kg)	60	Range of speed system (cm)	14
Minimum weight in flight (kg)	50	Speed range using brakes (km/h)	13
Glider's weight (kg)	2.2	Total speed range with accessories (km/h)	27
Number of risers	3+1	Range of trimmers (cm)	0
Projected area (m2)	12.18		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	After 24 months or 100 flight hours (whichever occurs first)	
Harness brand	Flugsau	Warning! Before use refer to user's manual	
Harness model	XX-Lite	Person or company having presented the glider for testing: <b>None</b>	
Harness to risers distance (cm)	40		
Distance between risers (cm)	40		

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23

## AIR TURQUOISE SA | PARA-TEST.COM

Route du Pré-au-Comte 8 • CH-1844 Villeneuve • •41 (0)2) 965 65 65

Test laboratory for paragliders, paraglider harnesses and paraglider reserve parachutes





Classification: **D** 

In accordance with standards EN 926-1:2015, EN 926-2:2013+A1:2021 and NfL 2-

565-20

Date of issue (DMY): Manufacturer:

Model:

Serial number:

PG\_2063.2022

09.12.2022

AirDesign GmbH

SUSI 4 14

XS23141PP2237033P

## Configuration during flight tests

Paraglider		Accessories	
Extended weight in flight (kg)	90	Range of speed system (cm)	14
Minimum weight in flight (kg)	50	Speed range using brakes (km/h)	13
Glider's weight (kg)	2.2	Total speed range with accessories (km/h)	27
Number of risers	3+1	Range of trimmers (cm)	0
Projected area (m2)	12.18		
Harness used for testing (max weight)		Inspections (whichever happens first)	
Harness type	ABS	After 24 months or 100 flight hours (whichever occurs first)	
Harness brand	Advance	Warning! Before use refer to user's manual	
Harness model	Success 4 M	Person or company having presented the glider for testing: <b>None</b>	
Harness to risers distance (cm)	43		
Distance between risers (cm)	44		

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23